

With compact design for discreet surveillance

A fixed dome camera is a compact camera solution with a dome casing. You benefit from its discreet, non-obtrusive design, and also from the fact that it is difficult to see in which direction the camera is pointing. In addition, the camera's dome casing design offers efficient protection against e.g. redirection and defocusing.

AXIS Q35 Network Camera Series

Durable and reliable fixed domes with full HDTV at up to 60 fps.

AXIS Q35 Network Camera Series consists of high-performing, vandal-resistant, indoor and outdoor-ready fixed domes that deliver high image quality in full HDTV at up to 60 fps. The cameras' Wide Dynamic Range (WDR) - Forensic Capture capability provides perfectly balanced video quality in scenes with strong variations in light, while the Lightfinder technology enables outstanding image usability in poor light. The cameras can seamlessly transition between handling WDR and low-light conditions. AXIS Q35 Series also supports Axis' Electronic Image Stabilization, barrel distortion correction and include optical zoom for monitoring. The indoor AXIS Q3505-V has IK10 impact resistance and IP52-rated dust and water protection. The outdoor-ready AXIS Q3505-VE has an IK10+ rating and can withstand a minimum of 50 joules of impact. All models are vibrationand shock-resistant. The cameras have been designed for efficient installation with features such as versatile cable management, remote zoom and focus, leveling assistant and auto rotation. AXIS Q35 Series fixed domes are ideal for high-security applications in areas such as cities, airports, railway stations, and industrial and critical infrastructure facilities.

AXIS Q3505-V/VE

Durable and reliable fixed domes with full HDTV at up to 60 fps and top-of-the-line image usability

- Megapixel/HDTV: 2.3 MP/HDTV 1080p
- Max video resolution: 1920 x 1200 (WUXGA)
- Two-way audio
- Alarm in-/outputs



AXIS P39-R Network Camera Series

High-performance cameras for onboard surveillance

The AXIS P39-R Network Camera Series is specially designed for video surveillance in buses, trains, subway cars and emergency vehicles. These compact, rugged and discreet cameras have protection against dust and water, and can withstand tough conditions such as vibrations, shocks, bumps and temperature fluctuations. All models include features such as video motion detection, tampering alarm, support for AXIS Camera Application Program, digital PTZ, pixel counter, PoE and edge storage. Traffic Light mode helps to better distinguish colors of traffic lights in very dark scenes.

AXIS P3915-R

High-performance full HDTV camera with audio for onboard surveillance

- Megapixel/HDTV: 2 MP/HDTV 1080p
- Max video resolution: 1920 x 1080
- Audio in
- Alarm in-/outputs



AXIS P3905-R

High-performance full HDTV camera for onboard surveillance

- Megapixel/HDTV: 2 MP/HDTV 1080p
- Max video resolution: 1920 x 1080



AXIS P3904-R

High-performance HDTV camera for onboard surveillance

- Megapixel/HDTV: 1MP/HDTV 720p
- Max video resolution: 1280 x 720



AXIS P33 Network Camera Series

Fixed domes for any environment with remote focus and zoom

AXIS P33 Network Camera Series consists of full-featured fixed domes designed for efficient installation with remote focus and zoom and is available in indoor, indoor vandal-resistant and outdoor-ready vandal-resistant models designed for extreme temperatures. They all offer high-performance video and have automatic day and night functionality and P-Iris control. AXIS P3301/-V and AXIS P3304/-V Network Cameras are smaller, discreet domes available in indoor and indoor vandal-resistant versions with a subset of the features of the AXIS P33 Series. All models support PoE. All indoor vandal-resistant models support two-way audio and built-in microphone.

AXIS P3384-V/-VE

Vandal-resistant HDTV fixed dome with outstanding video quality in demanding light conditions

- Megapixel/HDTV: 1 MP/720p
- Max video resolution: 1280 x 960
- Lightfinder technology
- WDR Dynamic Capture



AXIS P3367-V/-VE

Superb 5-megapixel light-sensitive fixed dome with remote focus and zoom

- Megapixel/HDTV: 5 MP/1080p
- Max video resolution: 2592 x 1944



AXIS P3365-V/-VE

Superb full HDTV fixed dome with remote focus and zoom

- Megapixel/HDTV: 2 MP/HDTV 1080p
- Max video resolution: 1920 x 1080



AXIS P3364-LV/-LVE

Superb, vandal-resistant HDTV fixed dome with OptimizedIR, remote focus and zoom

- Megapixel/HDTV: 1 MP/720p
- Max video resolution: 1280 x 960
- OptimizedIR
- Lightfinder technology



AXIS P3364-V/-VE

Superb, light-sensitive and vandal-resistant HDTV fixed dome with remote focus and zoom

- Megapixel/HDTV: 1 MP/720p Max video resolution: 1280 x 960
- Lightfinder technology



AXIS P3354

Superb, light-sensitive and cost-efficient HDTV fixed dome with remote focus and zoom

- Megapixel/HDTV: 1 MP/720p
- Max video resolution: 1280 x 960
- Lightfinder technology



AXIS P3304/-V

Discreet video surveillance with outstanding HDTV and H.264 performance

Megapixel/HDTV: 1 MP/720p

Max video resolution: 1280 x 960



AXIS P3301/-V

Discreet video surveillance with outstanding H.264 performance

Max video resolution: 640 x 480



AXIS P32 Network Camera Series

Streamlined and versatile varifocal fixed domes

AXIS P32 Network Camera Series consists of vandal-resistant indoor and outdoor cameras. They have a varifocal lens, P-Iris control, HDTV image quality and day/night functionality. AXIS P32 cameras include remote zoom and focus to eliminate the need for hands-on fine tuning. The camera casings are easily repaintable in any desired color to blend into the environment. All models also offer features such as video motion detection, tampering alarm, support for AXIS Camera Application Platform, PoE, pixel counter and edge storage.

AXIS P3215-V/-VE

Streamlined and versatile varifocal fixed domes with HDTV 1080p

Megapixel/HDTV: 2 MP/HDTV 1080p

Max video resolution: 1920 x 1080



AXIS P3214-V/-VE

Streamlined and versatile varifocal fixed domes with HDTV 720p

Megapixel/HDTV: 1.3 MP/HDTV 720p

Max video resolution: 1280 x 960



AXIS M32 Network Camera Series

Discreet and affordable fixed domes for professional surveillance

AXIS M32 Network Cameras are cost-effective and compact fixed domes with handy features such as Power over Ethernet, varifocal lens and pixel counter. They include intelligent capabilities such as video motion detection and camera tampering alarm. They are perfectly suited where discreet, tamper-resistant or vandal-resistant fixed domes are requested, e.g. in retail stores and schools. All models also include features such as digital PTZ and supports AXIS Camera Application Platform.

AXIS M3204/-V

Discreet and affordable HDTV fixed domes for professional surveillance

Megapixel/HDTV: 1 MP/HDTV 720p

Max video resolution: 1280 x 960



AXIS M3203/-V

Discreet and affordable fixed domes for professional surveillance

Max video resolution: 800 x 600



AXIS M31-R Network Camera Series

Compact, rugged network cameras for mobile video surveillance

The AXIS M31-R Network Camera Series is specially designed for video surveillance in buses, trains, subway cars and emergency vehicles. These cameras are discreet and rugged, and have protection against dust and water. They can withstand tough conditions such as vibrations, shocks, bumps and temperature fluctuations. All models include features such as motion detection, active tampering alarm, support for AXIS Camera Application Platform, PoE and digital PTZ.

AXIS M3114-R

Compact, rugged HDTV network camera for mobile video surveillance

Megapixel/HDTV: 1 MP/HDTV 720p

Max video resolution: 1280 x 800



AXIS M3113-R

Compact, rugged network camera for mobile video surveillance

Max video resolution: 800 x 600



AXIS M30 Network Camera Series

High-performance fixed mini domes

AXIS M30 Network Camera Series offers affordably priced, highly discreet, flexible and easy-to-install compact fixed domes with Power over Ethernet, memory card slots supporting edge storage, HDTV performance and 360°/180° panoramic views. They are ideal for retail stores, hotels, schools, banks and offices with tight budgets for video surveillance. Models are available in both indoor and outdoor-ready, vandal-resistant, day/night versions. AXIS M30 cameras are vandal- and dust-resistant (except for AXIS M3014 and AXIS M3007-P), and can be mounted on walls or ceilings. AXIS M3007-P is highly discreet with its smoke-detector look. All models include features such as video motion detection, active tampering alarm, support for AXIS Camera Application Program, digital PTZ and pixel counter.

AXIS M3027-PVE

Outdoor-ready, day/night fixed mini domes with HDTV or 360°/180° panoramic views

Megapixel/HDTV: 5 MP

360°/180° panoramic views

Max video resolution: 2592 x 1944

Digital PTZ

Multi-view streaming with dewarped views



AXIS M3026-VE

Outdoor-ready, day/night fixed dome with 3-megapixel/HDTV 1080p

Megapixel/HDTV: 3 MP/1080p

Max video resolution: 2048 x 1536

Multi-view streaming

Enhanced capacity for video analytics

Input/output ports for external devices



AXIS M3025-VE

Outdoor-ready, day/night fixed dome with HDTV 1080p

Megapixel/HDTV: 2 MP/1080p

Max video resolution: 1920 x 1080

Input/output ports for external devices



AXIS M3024-LVE

Outdoor-ready, day/night fixed dome with IR illumination

Megapixel/HDTV: 1 MP/720p

Max video resolution: 1280 x 800

Built-in IR illumination

Input/output ports for external devices



AXIS M3014

Ultra-discreet, recessed-mount video surveillance solution

Megapixel/HDTV: 1 MP/ HDTV 720p

Max video resolution: 1280 x 800



AXIS M3007-PV

Fixed mini dome with 360°/180° panoramic view

- Megapixel/HDTV: 5 MP
- Max video resolution: 2592 x 1944
- 360°/180° panoramic views
- Digital PTZ and multi-view streaming with dewarped views



AXIS M3007-P

Ultra-discreet fixed mini dome with 360°/180° panoramic view

- Megapixel/HDTV: 5 MP
- Max video resolution: 2592 x 1944
- 360°/180° panoramic views in up to 5 MP resolution
- Ultra-discreet design >
- Digital PTZ and multi-view streaming with dewarped views



AXIS M3006-V

Fixed mini dome with 3-megapixel wide view and HDTV 1080p

- Megapixel/HDTV: 3 MP/1080p
- Max video resolution: 2048 x 1536
- Wide viewing angle of 134°
- Compact, vandal- and dust-resistant
- Digital PTZ and multi-view streaming



AXIS M3005-V

Fixed mini dome with HDTV performance

- Megapixel/HDTV: 2 MP/1080p
- Max video resolution: 1920 x 1080
- Ultra-compact, vandal-resistant design
- Progressive scan
- **Corridor Format**



AXIS M3004-V

Fixed mini dome with HDTV performance

- Megapixel/HDTV: 1 MP/720p
- Max video resolution: 1280 x 800
- Ultra-compact, vandal-resistant design
- Progressive scan
- **Corridor Format**

